



**MEHR ALI**  
INSTRUMENTS

# ORTHODONTIC INSTRUMENTS



SAFE CINCH	5
ALIGNER PLIERS	6
LINGUAL PLIERS	8
CUTTERS	16
UTILITY PLIERS	22
WIRE BENDING PLIERS	30
HAND INSTRUMENTS AND HEMOSTATS	40
MISCELLANEOUS	48
LABORATORY PLIERS	50
TRANSPLANTATION STENT KIT	56
WASHING, HANDLING AND STERILISATION INSTRUCTIONS	57
INDEX	58

The popular choice of premium instruments for orthodontists internationally:

All **MUH-™** instruments are made from German surgical stainless steel with a beautiful **satin finish** which reduces glare from surgery lighting.

All cutting edges are made from **tungsten carbide** or **reminate** providing superior strength and sharpness.

All instruments have a Box Joint which provides a **reliable, smooth action** and ensures the tips align perfectly every time.

All **MUH-™** instruments have a **unique streamline design** providing a perfectly balanced instrument.

All **MUH-™** instruments are finished with **round, smooth edges** providing maximum comfort and safety for you and your patient.

I have been MUH--ng MUH- pliers for 8 years now, having made the decision to use them when I moved my hospital department over to a CSSD tray system. I based that decision on having been very impressed with the high quality of the instruments when compared with other instruments I have used over a long and busy clinical career.

I set very high standards in clinical matters and MUH- pliers do not disappoint in any way. In the time they have been in use, they have proved to be reliable and robust, and good value for money.

They are well-designed and beautifully engineered from good quality steel, being both aesthetic and functional. If I had to re-stock my department, I would certainly order MUH- pliers again. I would highly recommend them to anyone.



## Looking for a solution to reduce emergency appointments?

### Introducing the Safe Cinch...



#### Problem 1: Wire Poke

The wires slide out distally through the molar tubes or brackets as teeth align or wire slides round. This is specially a problem with SLBs and Lingual technique.



#### Problem 2: Long Unsupported Span

The fine, flexible wires drop out of molar tubes and may be too light to be held by conventional cinching.



#### Problem 3: Loose Tube

Bonded molar tubes that debond can easily come off the back of the wire even when conventionally cinched, causing safety concerns.



#### Solution: Safe Cinch

The MUH- Safe Cinch is a simple solution to prevent any of these problems from occurring.



#### MUH--920 Safe Cinch Plier

#### MUH--921 Safe Cinches Pk 40

#### MUH--922 Safe Cinches Plier & 40 Cinches



The Safe Cinch is a rounded, crimpable device which is fitted over the protruding end of the archwire behind the molar tube, using special pliers designed to hold and crimp it securely. The Safe Cinch is designed to reduce emergency appointments by preventing sharp wire from poking into the soft tissue at the back of the mouth, safely holding debonded molar tubes on the archwire, and preventing flexible wires from dropping out of molar tubes or brackets.




The MUH--920 is a plier used for the positioning of the MUH--921 Safe Cinch. The Safe Cinch must be positioned using the MUH--920 Safe Cinch Plier otherwise its safety cannot be assured.



I have been using safe cinch for some time now and find it invaluable to secure the distal ends of sectional wires. The safe cinch is more comfortable for patients as it eliminates wire pokes which also helps reduce emergency appointments. It's also very useful as stops for low friction systems.





## Aligner Pliers

It's clear to see that thermoformed aligner systems are a fast growing area in orthodontics. To meet demand we have designed a range of instruments to aid clinicians in the successful treatment of all cases.



The use of aligner pliers may avoid future refinement stages as they can recover teeth which may have fallen behind in treatment. Featuring our world renowned elegant and streamline MUH- design, these easy to use pliers are perfect for achieving greater torque, rotational control and increased retention.

All the finer details are reflected in the design; including narrow tips for greater access into the tricky lower anterior section of aligners, and the easy to use, no-heat-required function.

## Coming Soon...


### **MUH--890**

The Hook Forming Plier



### **MUH--891**


The Hole Punch Plier







### **MUH--887** The Torque Aligner Plier

Due to material flexibility at the gingival margins, achieving torque may be challenging. The MUH--887 creates a horizontal indentation (0.75 x 1.5mm), creating a force point for individual lingual or labial root torque.





### **MUH--888** The Rotation Aligner Plier

Rotational control with aligners can often prove challenging due to the lack of surface contact area between aligner and tooth – particularly on laterals. The MUH--888 creates a vertical indentation / force point (0.75 x 1.5mm) on the tooth surface to optimise tooth rotation.



### **MUH--889** The Retention Aligner Plier

Use the MUH--889 on the gingival margin at the interdental papilla to create a circular indentation (1mm) for increased retention of aligners and retainers.






## Lingual Series

This range of lingual instruments has been developed specifically to facilitate the 'art' of lingual orthodontics. We consulted many lingual orthodontists in order that we were able to produce a range of instruments which fully met their needs.

The small inter bracket widths and working in parts of the mouth which are hard to reach with traditional orthodontic instruments gives the lingual technique an added difficulty.

With these factors in mind we have developed a range of instruments with longer handles for the to reach areas, the heads of the instruments are smaller to accommodate the lack of space and all instruments have the unique MUH- smooth contours for added patient comfort.





**MUH--950**  
Weingart 60° Angle

Small serrated tips are angled at 60° for easy access in the posterior region. Maximum .018" (.46mm) wire.



**MUH--951**  
Weingart 60° Angle with T.C.

Same features as MUH--950 with the addition of Tungsten Carbide tips. Maximum .018" (.46mm) wire.



**MUH--952**  
Stepped Tweed Arch Plier

Designed for torquing and bending both square and rectangular wires. The fine tips allow excellent access even in lower anterior region.





### MUH--949 Slim Tweed Plier

This instrument has slimmer tips - just 0.9mm - than the current MUH--871 which means that this is ideal for use in the lingual technique.



New Design

### MUH--953 Cinch Back

New and improved Cinch Back  
The lower tip of the plier has been contoured to enable you to place the instrument **closer to the distal end** of the buccal tube. This results in a closer bend and **improved patient comfort**. The serrated tips of this instrument hold the wire securely while bending the wire 90° distal to the buccal tube. For use with Nickel Titanium wires .012" - .018" (.30 x .46mm).



### MUH--954 Cinch Back - Large Wire

Same features as MUH--953 but designed to work with larger wires.

The serrated tips of this instrument hold the wire securely while bending the wire 90 ° distally to the buccal tube, avoiding patient discomfort.

For use with wires from .016" (.41mm) up to .021" x .025" (.55 x .64mm).



**MUH--955**  
**Bracket Removing Plier**

The narrow sharp tips, wedge between the edges of the bracket base and tooth surface to remove direct bond brackets safely and comfortably.



**MUH--960**  
**Lingual Anterior Debonding Plier**

Specifically designed to enable the clinician to easily debond Lingual Bracket including those with a customised base.

The bracket is successful debonded by placing the sharp edges of the metal arms are placed between the adhesive and enamel interface. The handles are slowly closed so that a peeling action of the bracket base from the gingival towards the incisal completes the safe and successful debond.



The sharp edges of the metal arms are manufactured from a special hardened steel which gives long lasting sharpness.



**MUH--956**  
**Mini Ligature Cutter 50° Angle Upper**

The narrow tip is angled at 50° for excellent access to the upper arch. The inserted tips ensure precision cutting of ligature wires and elastics.

Maximum Cutting Capacity:  
soft wire up to .012" (.30mm)





### **MUH--956s**

#### **Micro Ligature Cutter Upper 50° Angle Upper**

Same features as MUH--956 but with shorter handles.

Maximum Cutting Capacity:  
soft wire up to .012" (.30mm)



### **MUH--957**

#### **Mini Ligature Cutter 60° Angle Lower**

The narrow tip is angled at 60° for excellent access to the lower arch. The inserted tips ensure precision cutting of ligature wires and elastics.

Maximum Cutting Capacity:  
soft wire up to .012" (.30mm)



### **MUH--957s**

#### **Micro Ligature Cutter 60° Angle Lower**

Same features as MUH--957, but with shorter handles.

Maximum Cutting Capacity:  
Soft wire up to .012" (.30mm)



### **MUH--911** **Micro Ligature Cutter**

The small, narrow and sharp pointed tips allow easy access to the most difficult areas. The inserted tips ensure precision cutting of ligature wire & elastics.

Maximum Cutting Capacity: soft wire up to .012" (.30mm)

Caution: This delicate instrument is designed for the removal of soft stainless steel ligatures to a maximum of .012" diameter.



### **MUH--911L** **Micro Long Handled Ligature Cutter**

Same features as MUH--911 but with longer handles.

Maximum Cutting Capacity: soft wire up to .012" (.30mm)

Caution: This delicate instrument is designed for the removal of soft stainless steel ligatures to a maximum of .012" diameter.



### **MUH--958 / MUH--958s** **Flush Cut Distal End Cutter** **Standard / Small**

The flush cut feature of this instrument allows the archwire to be cut flush to the buccal tube, eliminating the possibility of patient discomfort resulting from archwire MUH-. The Tungsten Carbide inserted tips ensure precision and perfect tip alignment.

Minimum Cutting Capacity:  
MUH--958 - .016" (.41mm),  
MUH--958s .012" (.30mm)  
Maximum Cutting Capacity:  
MUH--958 archwires up to .021" x .025"  
(.55 x .64mm)  
MUH--958s archwires up to .016" x .025"  
(.41 x .64mm)



### **MUH--959**

#### **Long Handled Distal End Cutter**

This instrument features long handles and a slim box joint with a compact head to ensure easy access in hard to reach areas. The T.C. inserts provide unsurpassed performance and durability.

All MUH- distal end cutters feature safety hold.

Minimum Cutting Capacity:  
.012" (.30mm)

Maximum Cutting Capacity:  
.018"x.025" (.46 x.64mm)



### **MUH--940**

#### **Curved Smaha**

Fine curved tips but strong enough for inserting archwires and excellent for placing elastomerics to lingual brackets.



### **MUH--632**

#### **Lingual Bracket and Bondable Tube Holder**

Reverse action Tube placer designed for placing bondable tubes and lingual brackets and attachments. Curved design allows placement with an unobstructed view.




### **MUH--941**

#### **Curved Lingual Micro Mosquito**

Very Fine curved serrated tips and positive locking ensure consistent performance.

Used to place elastic ligatures in difficult to reach areas.




### **MUH--945**

#### **Lingual Tucker**

The tucker has been specially developed through consultation with experienced lingual orthodontists and is especially suited to use with self-ligating lingual brackets systems.

The MUH- Lingual tucker gives optimum visibility and access during use in both the anterior and posterior region due to its unique design.





## Cutters





### **MUH--900** Distal End Cutter

This instrument cuts wires close to the buccal tube and safely holds the distal end. The Tungsten Carbide inserts ensure precision cutting, long wear and unsurpassed cutting performance.

All MUH- distal end cutters feature safety hold.

Cutting Capacity:  
archwires up to .021" x .025"  
(.55 x .64mm)



### **MUH--901** Long Handled Distal End Cutter

This instrument features long handles and a compact head to ensure easy access in hard to reach areas. It cuts wires close to the buccal tube and safely holds the distal end. The Tungsten Carbide inserts provide unsurpassed performance and long wear.

All MUH- distal end cutters feature safety hold.

Cutting Capacity:  
archwires up to .021" x .025"  
(.55 x .64mm)



MUH-ng None Flush Cut  
Distal End.



MUH-ng Flush Cut  
Distal End.

### **MUH--902 / MUH--902s** Flush Cut Distal End Cutter Standard / Small

The flush cut feature of this instrument allows the archwire to be cut flush and safely held eliminating the possibility of patient discomfort resulting from archwire protr MUH--on.

MUH--902 Minimum Cutting Capacity:  
.016" (.41mm)

MUH--902 Maximum Cutting Capacity:  
archwires up to .021" x .025"  
(.55 x .64mm)

MUH--902s Minimum Cutting Capacity:  
.012" (.30mm)

MUH--902s Maximum Cutting Capacity:  
archwires up to .016" x .025"  
(.41 x .64mm)



### **MUH--905** Hard Wire Cutter

Easily cuts any size archwire or pin.  
The inserted tips ensure precision cutting and perfect tip alignment.

Minimum Cutting Capacity:  
.012" (.30mm)  
Maximum Cutting Capacity:  
archwires up to .021"x .025"  
(.55 x .64mm)



### **MUH--915** Hard Wire Cutter with T.C. Inserts

Same design as the popular MUH--905  
with the addition of T.C. inserts for  
increased durability and ability to cut  
elastomeric chain.

Minimum Cutting Capacity:  
.012" (.30mm)  
Maximum Cutting Capacity:  
archwires up to .021"x .025"  
(.55 x .64mm)



### **MUH--906** Hard Wire Cutter 15° Angle

Same features as standard hard wire  
cutter MUH--905 with the advantage of  
15° angle for easier access to the  
posterior area.

Minimum Cutting Capacity:  
.012" (.30mm)  
Maximum Cutting Capacity:  
archwires up to .021"x .025"  
(.55 x .64mm)



**MUH--916**  
Hard Wire Cutter 15° Angle  
with T.C. Inserts

Same design as the popular MUH--906 with the addition of T.C. inserts for increased durability and ability to cut elastomeric chain.

Minimum Cutting Capacity:  
.012" (.30mm)  
Maximum Cutting Capacity:  
archwires up to .021"x .025"  
(.55 x .64mm)



**MUH--908**  
Heavy Duty Hard Wire Cutter

This instrument cuts up to 1.5mm wire with ease due to its triple action design. Inserted tips ensure precision cutting and perfect tip alignment.

Minimum Cutting Capacity:  
.014" (.36mm)  
Maximum Cutting Capacity:  
wire up to .060" (1.5mm)



**MUH--910**  
Pin Ligature Cutter 7° Angle

Pin ligature cutter with 7° angled tips to allow easy access and better visibility in difficult to reach areas. Inserted tips ensure precision cutting of ligature wire, pins and elastics.

Maximum Cutting Capacity:  
soft wire up to .016" (.41mm)



### **MUH--911** Micro Ligature Cutter

The small narrow and sharp pointed tips allow easy access to the most difficult to reach areas. The inserted tips ensure precision cutting of ligature wire and elastics.

Maximum Cutting Capacity:  
soft wire up to .012" (.30mm)

Caution: This delicate instrument is designed for the removal of soft stainless steel ligatures to a maximum of .012" diameter.



### **MUH--911L** Micro Long Handled Ligature Cutter

Same features as MUH--911 but with longer handles.

Maximum Cutting Capacity:  
soft wire up to .012" (.30mm)

Caution: This delicate instrument is designed for the removal of soft stainless steel ligatures to a maximum of .012" diameter.



### **MUH--912** Standard Ligature Cutter

This cutter has fine tips for easier access to difficult to reach areas. Cuts of pins, wire ligatures and elastics.

Maximum Cutting Capacity:  
soft wire up to .015" (.38mm)



### **MUH--913**

#### **Standard Soft Wire Ligature Cutter**

Same design as MUH--912 but without inserts.

Maximum Cutting Capacity:  
soft wire up to .012" (.30mm)



I have used MUH- orthodontic instruments for approximately MUH-- years now. Without question, they offer unparalleled quality compared to all other orthodontic instruments on the market today. The workmanship that goes into every instrument is outstanding and is guaranteed for five years!

A reliable, smooth closing action is produced as each instrument incorporates a box joint that ensures the tips align perfectly without any rocking. Along with the elegant rounded finish, this makes MUH--ng MUH- instruments a pleasurable and comfortable experience – for both patient and orthodontist.

When it comes to choosing your orthodontic instruments, there can only be one choice – MUH-.



# Utility Pliers





### **MUH--800** Small Weingart

The special features incorporated in this MUH- Weingart make this one of the most popular. Matching serrated tips hold wires firmly at a convenient working angle. Carefully tapered beaks fit easily between brackets and are rounded for safety and comfort.

Holds round, square and rectangular wires up to .022" x .028"  
(.56 x .71mm)



### **MUH--801** Small Weingart with T.C.

Same design as MUH--800 but with inserted tips providing maximum wire control and prevents the wire from slipping.

Holds round, square and rectangular wires up to: .022"x .028"  
(.56 x .71mm).



### **MUH--802** Large Weingart

Precision serrated tips are designed to hold heavy wires and prevent the wire from slipping, for the safe and easy insertion or removal of all arches.

Holds wire up to .030" (.076mm).





### **MUH--803**

#### **Large Weingart with T.C.**

Same as MUH--802 with inserted tips providing maximum wire control and to prevent the wire from slipping.

Holds wire up to .030" (.076mm).



### **MUH--804**

#### **Fine Tipped Weingart**

This strong but fine tipped utility plier allows excellent access in difficult to reach areas.

Holds wire up to .022" x .028" (.56 x .71mm).




### **MUH--843**

#### **Utility Weingart with Inserted Tips**

This new Weingart plier is already proving popular. Designed for use with larger wires but slim enough to allow the clinician good visibility in difficult to reach areas. Elegant and perfectly balanced with beautifully rounded tips for patient comfort. Precision serrated tips prevent the wire from slipping.

Holds wire up to .022"x .028" (.56mm x .71mm).



### MUH--805

#### How Plier (Straight)

A versatile utility plier with a long tapered tips. The 3/32" diameter tips are serrated to prevent wire slippage.

Holds wire up to .022" x .028" (.56 x .71mm).



### MUH--806

#### How Plier (Angled)

Similar to MUH--805 but with 45° angled tips for convenient access to lingual and other difficult to reach areas. Matching serrated tips hold wires firmly at a convenient working angle.

Holds wire up to .022" x .028" (.56 x .71mm).



### MUH--820

#### Crimpable Archwire Hook Plier

Designed for surgical ball hooks and auxiliaries. The slotted tip holds auxiliaries secure to provide for positive crimping.



**MUH--834**  
Crimping Plier

For applying crimpable stops to archwires.



**MUH--825**  
Posterior Band Remover (Short)

The plastic tip rests on the occlusal surface of the molar which places the removing tip in the perfect position to catch the gingival edge of the band. Replacement pads are available in 3/16" and 1/8" diameters.


Replacement Tips 3/16"  
(5mm) - MUH--895S  
Replacement Tips 1/8"  
(4mm) - MUH--896S



**MUH--826**  
Posterior Band Remover (Long)

Same features as MUH--825 but with a longer band removing arm.

Replacement Tips 3/16"  
(5mm) - MUH--895S  
Replacement Tips 1/8"  
(4mm) - MUH--896S



### **MUH--838**

#### **Posterior Band Remover Plier**

A long arm band remover with a push fit pad.

Replacement Tips  
Pack of 10.



### **MUH--827**

#### **Direct Bond Remover (Straight)**

Force is applied to the bracket-tooth interface. The tips are positioned mesially-distally Or at the occlusal gingival interface to remove direct bond brackets safely and comfortably.



### **MUH--828**

#### **Direct Bond Remover (Angled)**

Same design as MUH--827 except the 60 angle allows easier access in difficult to reach posterior brackets.



**MUH--829**  
Direct Bond Remover

Removes brackets easily by holding the side of the bracket in a horizontal position or under the tie wing and applying pressure by torquing or turning in a clockwise motion. The inserted tip provide longevity.



**MUH--835**  
Adhesive Removing Plier

The Vinyl tube rests on the occlusal / incisal surface of the tooth ensuring no discomfort to the patient while the sharp metal tip removes adhesive from the labial / buccal surface with ease.



Replacement Metal Pad - MUH--836 - Sold in packs of 2.

Replacement Vinyl Tube 15cm - MUH--837



**MUH--840**  
Small Adams Plier

Inserted hardened tips provide excellent resistance to wear. Square beak 1mm at tip and parallel at .045" opening.

Effective for wires up to .030" (.76mm).





**MUH--824**  
Coon Ligature Tying Plier

Self-locking ligature tying plier with fine beaks for the ease of applying and tying Stainless Steel ligatures.



**MUH--841**  
Force Module Separator

Designed for easy placement of separating elastics. Modules will not slip because of the undercut of the tips.



**MUH--895S**  
Replacement Tips 3/16\" (5mm)  
for MUH--825/826  
Pk 3



**MUH--896S**  
Replacement Tips 1/8\" (4mm)  
for MUH--825/826  
Pk 3



**MUH--836**  
Replacement Metal Pad  
for MUH--835  
Pk 2



**MUH--837**  
Replacement Vinyl (150mm)  
for MUH--835



Wire Bending Pliers





### **MUH--807**

#### **Light Wire Plier**

This popular design features inserted tips which provide excellent grip and durability.

Tips bend archwires from .012" to .020" (.30mm - .51mm).



### **MUH--808**

#### **Light Wire Plier with Cutter and 2 Grooves**

Same popular design as MUH--807 but with cutter and grooves. Beaks are grooved for round wire at 1mm and 2mm from tip.

Tips bend archwires from .012" to .020" (.30mm - .51mm).

Cutter at the base of beaks cuts archwires from .014" to .020" (.36mm - .51mm).



### **MUH--809**

#### **Light Wire Plier with Cutter**

This popular loop forming and bending plier has inserted tips that provide excellent wear.

Tips bend archwires from .012" to .020" (.30mm - .51mm).

Cutter at the base of beaks cuts archwires from .014" to .020" (.36mm - .51mm).



**MUH--810**  
Bird Beak Plier

The most popular and versatile plier for working with round wire up to .028" (.71mm). The round beak is precision manufacturer to a perfect cone - .025" at the tip. The pyramid beak is exactly .025" wide at the tip.



**MUH--872**  
Bird Beak Plier

Same design as MUH--810 with the addition of tungsten carbide tips providing maximum wire control and excellent wear.



**MUH--812**  
Tweed Loop Forming Plier  
with Cutter

Ideal for making consistent uniform loops. The tip has three sections of 1.2mm, 1.8mm and 2.0mm with roughened finish to prevent wire slippage.

For use with round and square wire up to .021 x .025" (.55 x .64mm).

The built in cutter allows wire to be cut from .014" to .020" (.36mm - .51mm).



### **MUH--821**

#### **Long Beak Light Wire Plier**

Longer beaks than the MUH--810 for making precision loops in light wires. For use with round and square wire up to .020" (.51mm).



### **MUH--814**

#### **O'Brien Loop Forming Plier**

The perfect plier for making Bull, Omega and Closing loops.

For use with used with round & square wire up to .021 x .025" (.55 x .64mm).



### **MUH--815**

#### **Nance Plier**

Precision loop forming with four step tips 3mm, 4mm, 5mm and 6mm. All working edges have been beveled to prevent wire scoring.

Excellent for round and square wires up to .022" (.56mm).





### **MUH--813**

#### **Tweed Arch Forming Plier**

Designed for torquing and bending square or rectangular wires. The blades are designed to be parallel at .020" opening.


For use with wires up to .021" x .025" (.55 x .64mm).



### **MUH--871**

#### **Tweed Arch Forming Plier**

Same design as MUH--813 with the addition of inserted tips providing maximum wire control and improved gripping.



### **MUH--949**

#### **Slim Tweed Plier**

This instrument has slimmer tips - just 0.9mm - than the current MUH--871 which means that this is ideal for use in the lingual technique.



### MUH--817

De La Rosa

Precision matched concave and convex tips for smooth contouring of light wire loops. Contours and forms arches without torquing.

For use with wires up to .021" x .025" (.55mm x .64mm).




### MUH--816

3-Jaw Plier

Precision aligned tips are gently rounded for consistent contouring and bending without damaging the archwire. One-piece construction of the double tip ensures superior strength.


For use with wire up to .030" (.76mm).




### MUH--819

Small 3-Jaw Plier

Same design as MUH--816 but with slightly smaller tips for working with wire up to .020" (.51mm).






### MUH--823

#### Fine 3-Jaw Plier

The fine tips allow intra oral bending of the archwire.

Can be used on Nickel Titanium and Stainless Steel wire up to 0.20" (.50mm).



### MUH--823XF

#### Extra Fine 3-Jaw NiTi Plier

The narrow extra fine tips allow intra oral bending of the archwire between the brackets.

Can be used on Nickel Titanium wire up to 0.14" (.35mm).



### MUH--873

#### Torquing Plier Set

The torquing plier set allows the accurate addition of torque to square/rectangular archwires. Both Male and Female parts have hard wearing inserted tips.





**MUH--811**  
Light Wire Contouring &  
Cutting Plier

Longer, more gradually tapered beaks than the MUH--809, make it easier to bend small diameter loops.

The precision tips enable contouring of loops and arches up to .021" x .025" (.55 x .64mm) and the built in cutter that allows wires to be cut from .014" to .020" (.36mm - .51mm).



**MUH--832**  
V Bend Plier

Creates a 1mm V bend in any part of the archwire to stop archwire movement. Inserted tip provides longevity.

For use with NiTi wires up to .018" (.46mm).



**MUH--830**  
Hollow Chop

Convex/Concave tips enable adjustment of all types of loops.





The European community design number 002455881.  
US patent numbers: MUH- D741,486 S and MUH- D740,942 S.



## MUH--975

### Intra Oral Detailing Plier 0.75mm Step


The new Intra-Oral detailing plier from MUH-™; the MUH--975 allows .029" (.75mm) first and second order bends to be created intra-orally, quickly and accurately without the need for removing the archwire.

The double-sided head of the instrument has been specially designed to enable intra-oral steps to be created, even interproximally between lingual brackets where the space is often very limited.

For use up to max .018" x.018" (0.46 x 0.46mm) wire.



European community design number: 002455881.  
US patent numbers: US D741,486 S and US D740,942 S.



## MUH--976

### Intra Oral Detailing Plier 0.5mm Step

Same features as the MUH--975 but with a smaller head, designed to create .020" (.5mm) first and second order bends intra orally.

The double-sided head of the instrument has been specially designed to enable intra-oral steps to be created, even interproximally between lingual brackets where the space is very limited. For use up to max .018" x .018" wire (.46mm x .46mm).

The MUH--976 is very nicely designed and manufactured. Compared to the MUH--975 the step is a bit smaller, it is very precise and completely parallel.



### MUH--953

#### Cinch Back

New and improved Cinch Back The lower tip of the plier has been contoured to enable you to place the instrument **closer to the distal end** of the buccal tube. This results in a closer bend and **improved patient comfort**. The serrated tips of this instrument hold the wire securely while bending the wire 90° distal to the buccal tube. For use with Nickel Titanium wires .012" - .018" (.30 x .46mm).



The MUH--953 cinch back plier is a plier that I could not practice without. I have not found a better cinch back plier. The small head and light serrations make bending .012 to .018 wires simple and accurate in very tight spaces. I would recommend it to anyone whether you do labial or lingual braces.



### MUH--954

#### Cinch Back – Large Wire

Same features as MUH--953 but designed to work with larger wires.

The serrated tips of this instrument hold the wire securely while bending the wire 90 ° distally to the buccal tube, avoiding patient discomfort.

For use with wires from .016" (.41mm) up to .021" x .025" (.55 x .64mm).



# Hand Instruments & Hemostats

**MUH--650**  
Probe Single Ended



**MUH--651**  
Probe Double Ended



**MUH--652**  
Ligature Tucker



**MUH--653**  
Mitchell Trimmer



**MUH--656**  
Cement Spatula



**MUH--657**  
Flat Plastic



**MUH--654**  
Mirror Handle



**MUH--655**  
Mirror Heads  
Pk 12





### **MUH--945** Lingual Tucker

The MUH- Lingual tucker has been specially developed through consultation with experienced lingual orthodontists and is especially suited to use with self-ligating lingual brackets systems.

The MUH- Lingual tucker gives optimum visibility and access during use in both the anterior and posterior region due to its unique design.



### **MUH--850** Direct Bond Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Positioning blade helps with final bracket slot alignment.



### **MUH--630** Direct Bond Holder with Positioning Blade

Spring loaded reverse action holds brackets until release is desired. Positioning blade helps with final bracket slot alignment.



### **MUH--631** Deluxe Direct Bond Holder

The Same high quality finish as MUH--850, with the addition of fine tips for easy placement of brackets and attachments. Positioning blade helps with bracket slot alignment.



### **MUH--632**

#### **Lingual Bracket and Bondable Tube Placer**

Reverse action Tube placer designed for placing bondable tubes and lingual brackets and attachments. Curved design allows placement with an unobstructed view.



### **MUH--633**

#### **Curved Bracket Holder**

Designed for placement of Lingual brackets and attachments. Serrated tips give excellent grip.



### **MUH--845**

#### **Mershon Band Pusher**

Stainless steel serrated tip for positive control.



### **MUH--846**

#### **Mershon Band Pusher with Small Round Handle**

The same tip as MUH--845, but with lower profile handle.



**MUH--861**  
Mathieu Needle Holder with T.C.

Sturdy, rounded tips designed for twisting ligature wire. Tungsten Carbide tips ensure durability.



**MUH--862**  
Mathieu Needle Holder

Sturdy, rounded tips designed for twisting ligature wire.



**MUH--863**  
Smaha (Straight)

Fine tips excellent for placing elastomeric ligatures.






**MUH--864****Curved Mathieu Needle Holder with T.C.**

Sturdy rounded tips designed for twisting ligature wire. Curved Tungsten Carbide tip provides easy access in difficult to reach areas and durability.

**MUH--860****Fine Tip Mathieu Needle Holder**

Finer tips than the MUH--861.

**MUH--940****Curved Smaha**

Fine curved tips but strong enough for inserting archwires and excellent for placing elastomerics to lingual brackets.





### **MUH--941**

#### **Curved Lingual Micro Mosquito**

Very Fine curved serrated tips and positive locking ensure consistent performance.


Used to place elastic ligatures in difficult to reach areas.



### **MUH--855**

#### **Mosquito Forceps**

MUH- Mosquito Forceps have fine serrated tips.





### **MUH--866**

#### **Bracket Height Gauge**

3.5mm-5mm .018

For precise bracket positioning of .018 brackets.



### **MUH--867**

#### **Bracket Height Gauge**

3.5mm-5mm .022

For precise bracket positioning of .022 brackets.



## MUH--870

### Serrated Scissors

Serrated tips are ideal for cutting stainless steel tape, bands and ligatures.



### Instrument Code Rings

Designed to fit orthodontic plier handles, scalers, band seaters, hemostats and other orthodontic instruments. Made out of high temperature silicone that can withstand repeated autoclaving and heat sterilisation. Available in packs of 100.

Blue	MUH--110	Red	MUH--113	Pink	MUH--116	Yellow	MUH--119
Green	MUH--111	Black	MUH--114	White	MUH--117	Brown	MUH--120
Purple	MUH--112	Orange	MUH--115	Tan	MUH--118	Dark Grey	MUH--121
MMUH--ed Colours	MUH--122						



**MUH--101**  
Small Rack

Autoclavable Stainless Steel Rack



**MUH--103**  
Large Rack

Autoclavable Stainless Steel Rack



**MUH--102**  
Medium Rack

Autoclavable Stainless Steel Rack



**MUH-04-0000/1**  
Clear Upright Instrument Rack

Keep your instruments organised will hold up to 15 instruments.



# Laboratory Pliers





**MUH--164**  
**Adams Plier**

Inserted tips have a high resistance to deformation or wear under consistent use, providing continued accuracy and precision during appliance construction.

Bends hard wire up to .039" (1.00mm) max.



**MUH--165**  
**Spring Former Plier**

Tungsten Carbide inserted tips. Perfectly machined to produce accurate coil springs.

Bends hard wire up to 0.28" (0.7mm) max.



**MUH--700**  
**Universal General Use Plier**

Both Tips are serrated. Bends hard - wire up to .039" (1.0mm ) max. Cuts hardwire up to .028" (0.7mm) max.





**MUH--701**  
Three Jaw Plier

Can be used to bend the arms of rapid expansion screws.

For hard wire up to 0.59" (1.5mm) max.



**MUH--702**  
Three Jaw Plier

For hard wire up to .024" (1mm) max.



**MUH--703**  
Young Plier

For labial arches and canine loops.  
For hard wire up to .028" (0.7mm) max.





**MUH--704**  
Swartz Plier

Arrow clasp forming plier. For hard wire up to .028" (0.7mm. ) max.



**MUH--705**  
Lingual Arch Bending Plier

Grooved to hold all larger wire sizes, jaw width is .120" (3.05mm). Also ideal for double and triple back bends.

Bends round, square and rectangular wires up to .036" (0.91mm) max.



**MUH--706**  
Flat Nose Plier

Both Tips serrated.  
For use with wire up to .036" (0.9mm) max.



**MUH--707****Conical Flat Nose Plier**

Has one serrated and one smooth tip.  
For use with wire up to .028"  
(0.7mm.) max.

**MUH--708****Optical Plier**

For hardwire up to .028"  
(0.7mm) max.

**MUH--710****Flat Nose Plier**

A favourite general purpose plier -  
both tips of this flat nose plier are  
serrated with a guiding groove for use  
by the technician or clinician for  
chairside adjustments of wire  
up to .028" (0.7mm).





**MUH--711**  
**Heavy Duty Bird Beak**

This plier is ideal for the fabrication of labial and lingual arches, quad hel MUH--, and many other appliances.

This heavy duty bird beak plier has special inserted tips which allows the bending of wire up to .040" 1mm.



**MUH--712**  
**Heavy Duty Hard Wire Cutter**

This plier is ideal for cutting labial and lingual arches, quad hel MUH--, and many other appliances.

Double spring design allows for easy cutting of hard wire up to .060" (1.5mm).

## Tooth Autotransplantation

### MUH--200

#### Transplantation Stent Kit

Tooth autotransplantation is the surgical movement of a donor tooth to a recipient site within the same individual. Autotransplantation is essentially a controlled avulsion and replantation, either into an extraction site or a surgically-prepared artificial socket.

Premolar transplantation is a well-recognised technique for managing missing anterior teeth, including teeth lost through trauma or developmentally absent teeth, such as in hypodontia and cleft palate. Other indications include replacement of a failing or a poor-prognosis permanent tooth and surgical repositioning of an impacted or ectopic permanent tooth.

**MUH-** Orthodontics has developed a range of transplantation stents with The Leeds Dental Institute autologous transplantation team.



Kit includes 3 x stents - small, medium and large - plus stainless steel sterilisation cassette including locking arm (not shown).

The set of stents have been produced to:

- Minimise extra-oral time of the donor tooth/teeth.
- Reduce the damage to the periodontal ligament of donor tooth by minimising the number of try in attempts when assessing the donor tooth's fit in the recipient site.
- Provide flexibility to the surgeon by providing a variety of stent sizes, thereby allowing them to choose the most appropriate premolar to transplant.



# Index

## Lingual Pliers

MUH--950 Weingart 60 0 Angle	9
MUH--951 Weingart 60 0 Angle with T.C.	9
MUH--952 Stepped Tweed Arch Plier	9
MUH--949 Slim Tweed Arch Plier	10
MUH--953 Cinch Back	10
MUH--954 Cinch Back - Large	10
MUH--955 Bracket Removing Plier	11
MUH--960 Anterior Debonding Plier	11
MUH--956 Mini Ligature Cutter 50 0 Angle	8
MUH--956 Micro Ligature Cutter 50 0 Angle	12
MUH--957 Mini Ligature Cutter 60 0 Angle	12
MUH--957 Micro Ligature Cutter 60 0 Angle	12
MUH--911 Micro Ligature Cutter	13
MUH--911 Micro Long Handled Ligature Cutter	13
MUH--958 Flush Cut Distal End Safety Hold Cutter Standard	13
MUH--958 Flush Cut Distal End Safety Hold Cutter Small	13
MUH--959 Long Handled Distal End Cutter	14
MUH--940 Curved Smaha	14
MUH--632 Lingual Bracket and Bondable Tube Placer	14
MUH--941 Curved Mosquito	15
MUH--945 Lingual Tucker	15

## Distal End Cutters

MUH--900 Distal End Cutter	17
MUH--901 Long Handled Distal End Cutter	17
MUH--902 Flush Cut Distal End Cutter Standard	17
MUH--902 Flush Cut Distal End Cutter Small	17

## Hard Wire Cutters

MUH--905 Hard Wire Cutter	18
MUH--915 Hard Wire Cutter with T.C.	18
MUH--906 Hard Wire Cutter 15 0 Angle	18
MUH--916 Hard Wire Cutter 15 0 Angle with T.C.	19
MUH--908 Heavy Duty Hard Wire Cutter	19

## Pin & Ligature Cutters

MUH--910 Pin Ligature Cutter 7 0 Angle	19
MUH--911 Micro Ligature Cutter	20
MUH--911 Micro Long Handled Ligature Cutter	20
MUH--912 Standard Soft Wire Ligature Cutter	20
MUH--913 Standard Soft Wire Ligature Cutter	21

## Utility Pliers

MUH--800 Small Weingart	23
MUH--801 Small Weingart with T.C.	23
MUH--802 Large Weingart	23
MUH--803 Large Weingart with T.C.	24
MUH--804 Fine Tipped Weingart	24
MUH--843 Utility Weingart with T.C.	24
MUH--805 How Utility Plier (Straight)	25
MUH--806 How Utility Plier (Angled)	25
MUH--820 Crimpable Archwire Hook Plier	25
MUH--834 Crimping Plier	26
MUH--825 Posterior Band Remover (Short)	26
MUH--826 Posterior Band Remover (Long)	26
MUH--838 Posterior Band Remover	27
MUH--827 Direct Bond Remover (Straight)	27
MUH--828 Direct Bond Remover (Angled)	27
MUH--829 Direct Bond Remover	28
MUH--835 Adhesive Removing Plier	28
MUH--840 Small Adams Plier	28
MUH--824 Coon Ligature Tying Plier	29
MUH--841 Force Module Separator	29
MUH--895 Replacement Tips 3/16" (5mm)	29
MUH--896 Replacement Tips 1/8" (4mm)	29
MUH--836 Metal Pad	29
MUH--837 Replacement Vinyl (150mm)	29

## Wire Bending Pliers

MUH--807 Light Wire Plier	31
MUH--808 Light Wire Plier with Cutter/2 Grooves	31
MUH--809 Light Wire Plier with Cutter	31
MUH--810 Bird Beak Plier	32
MUH--872 Bird Beak Plier	32

## Wire Bending Pliers (Cont.)

MUH--812 Tweed Loop Forming Plier with Cutter	32
MUH--821 Long Beak Light Wire Plier	33
MUH--814 O'Brien Loop Forming Plier	33
MUH--815 Nance Plier	33
MUH--813 Tweed Arch Forming Plier	34
MUH--871 Tweed Arch Forming Plier	34
MUH--949 Slim Tweed Plier	34
MUH--817 De La Rosa	35
MUH--819 Small 3-Jaw Plier	35
MUH--816 3-Jaw Plier	35
MUH--823 Fine 3-Jaw Ni Ti Plier	36
MUH--826 Fine 3-Jaw Ni Ti Plier	36
MUH--873 Torquing Plier Set	36
MUH--811 Light Wire Contouring & Cutting Plier	37
MUH--832 V Bend Plier	37
MUH--830 Hollow Chop	37
MUH--953 Cinch Back	38
MUH--954 Cinch Back - Large	38
MUH--975 Intra Oral Detailing Plier .75mm	38
MUH--976 Intra Oral Detailing Plier .75mm	39

## Hand Instruments & Hemostats

MUH--650 Probe Single Ended	41
MUH--651 Probe Double Ended	41
MUH--652 Ligature Tucker	41
MUH--653 Mitchell Trimmer	41
MUH--656 Cement Spatula	41
MUH--657 Flat Plastic	41
MUH--654 Mirror Handle	41
MUH--655 Mirror Heads pk 12	41
MUH--945 Lingual Tucker	42
MUH--850 Direct Bond Bracket Holder	42
MUH--630 Direct Bond Holder with Positioning Blade	42
MUH--631 Deluxe Direct Bond Holder	42
MUH--632 Lingual Bracket and Bondable Tube Placer	43
MUH--633 Curved Bracket Holder	43
MUH--845 Mershon Band Pusher	43
MUH--846 Mershon Band Pusher Small Round Handle	43
MUH--861 Mathieu Needle Holder	44

## Hand Instruments & Hemostats (Cont)

MUH--862 Mathieu Needle Holder (Standard)	44
MUH--863 Mathieu (Straight)	44
MUH--864 Curved Mathieu Needle Holder with T.C.	45
MUH--865 Fine Tip Mathieu Needle Holder	45
MUH--945 Mathieu (Curved)	45
MUH--849 Curved Mosquito Forceps	46
MUH--855 Mosquito Forceps	46

## Miscellaneous

MUH--866 Bracket Height Gauge 3.5mm-5mm .018	46
MUH--867 Bracket Height Gauge 3.5mm-5mm .022	46
MUH--870 Serrated Scissors	47
Instrument Code Rings	47
MUH--101 Small Rack	49
MUH--103 Large Rack	49
MUH--102 Medium Rack	49
MUH--04- Clear Upright Instrument Rack 0000/1	49

## Laboratory Pliers

MUH--164 Adams Plier	51
MUH--165 Spring Former Plier	51
MUH--700 Universal General Use Plier	51
MUH--701 Three Jaw Plier	52
MUH--702 Three Jaw Plier	52
MUH--703 Young Plier	52
MUH--704 Swartz Plier	53
MUH--705 Lingual Arch Bending Plier	53
MUH--706 Flat Nose Plier	53
MUH--707 Conical Flat Nose Plier	54
MUH--708 Optical Plier	54
MUH--710 Flat Nose Plier	54
MUH--711 Heavy Duty Bird Beak	55
MUH--712 Heavy Duty Hard Wire Cutter	55

## Tooth Autotransplantation

MUH--205 Stent Kit	56
--------------------	----





**Office: Main Roras Near Anwar  
Khawaja Industries**

**Sialkot-51310 PAKISTAN**

**Phone: (+92) 52 3252773**

**Fax: (+92) 52 3559056**

**Web:**

**[www.muhinstruments.com](http://www.muhinstruments.com)**

**Email:**

**[info@muhinstruments.com](mailto:info@muhinstruments.com)**

---